

COMELIT. SINCE EVER.

Since 1956, we have been making history in the door entry phone and door entry monitor sector and have actively contributed to its **ongoing** development. Over the years, the experience gained in this specific sector when it comes to meeting installation **requirements**, such as simplicity, reliability and multiple functions, has allowed us to grow and make a name for ourselves as an **international benchmark company**.



Our **values** and our business **vision** are the foundation upon which we have developed a well-run, well-structured global organization, with **17 branch offices** abroad, more than **800 employees** and a commercial presence in **over 90 countries**.

In addition to video door entry systems, we design and build antiintrusion, video surveillance, home automation, fire protection and access control systems, which makes us a single partner specializing in protecting people and their environment.







WITH YOU ALWAYS. OUR PROMISE, OUR COMMITMENT.

Being **close** to those who choose Comelit for their customers is our daily **commitment**. Our commitment is demonstrated by the fact that we are constantly researching and developing new, easy-to-install, high-performance solutions and offering daily advice and **assistance** on the phone and on site, as well as extremely reliable products and systems of the highest quality, **supporting you step by step in your work**. With You. Always. Because **your success is our success** and your satisfied customers are our satisfied customers.



WORRY-FREE CONNECTION.



With a single plug & play device, it turns the simple 2-wire system of a block of apartments into a connected system that forwards calls to smartphones.

Thanks to Comelit, the convenience of being able to receive calls **directly via smartphone**, at any time, from the door entry monitor of a block of apartments is now within everyone's reach.

This **innovative module**, which can be installed in the 2-wire Comelit video door entry system of virtually any building, **turns it into a smart building**, which allows those who live in it to manage all video door entry functions directly from their smartphone wherever they are, using an app that is easy and quick to set up.

A **single device** is all it takes to bring smart technology into an entire multi tenant building. And it is extremely **easy to install, since it does not require setting up** ("plug & play"). Once the device is installed, you have nothing else to worry about!

APARTMENTS MANAGED WITH 1 DEVICE







OUR INTERNAL UNITS SELECTION.



Mini

- Full-duplex handset door entry monitor with 4.3" 16/9 colour display
- Commands with "Sensitive touch" technology and LED backlighting
- Wall-mounted and desk base installation
- Version for SBTOP 2-wire and ViP system
- Dimensions: 175x160x22 mm
- Contrast, brightness and ringtone volume adjustment and privacy control



Mini Handsfree

- Full-duplex hands-free door entry monitor with 4.3" 16/9 colour display
- Commands with "Sensitive touch" technology and LED backlighting
- Wall-mounted installation
- Version for SBTOP 2-wire and ViP system
- Dimensions: 115x160x22 mm
- Contrast, brightness and ringtone volume adjustment and privacy control



Icona

- Full-duplex hands-free door entry monitor with 4.3" 16/9 touch-screen (ViP) colour display
- Commands with "Sensitive touch" technology, LED backlighting and "Swipe" technology
- Semi flush-mounted, wall-mounted and desk base installation
- Version for SBTOP 2-wire and digital ViP system
- Dimensions: 142x145.5x12 mm
- Contrast, brightness and ringtone volume adjustment and privacy control



Maxi

- Full-duplex hands-free door entry monitor with 7" touch-screen (Exc 6801W and 6801W/BM) colour display
- Commands with "Sensitive touch" technology, LED backlighting and "Swipe" technology
- Semi flush-mounted, wall-mounted and desk base installation
- Version for SBTOP 2-wire and digital ViP system
- Dimensions: 223x124x12 mm
- Contrast, brightness and ringtone volume adjustment and privacy control

MyComelit. The App you won't be able to live without!

Simple, straightforward and customized. Thanks to all the services provided, MyComelit makes work easier for all industry professionals: installers, integrators, developers and property managers.

- Quickly browse through all the technical, application-related and commercial information concerning our products (catalogues, manuals, technical data sheets, etc.)
- Manage and monitor your connected systems and receive notifications on the status of installed products to receive prompt assistance and reduce downtime.
- Enter the names of the Ultra entrance panel (in the Touch or digital Directory versions) via Bluetooth connection.



IT'S REALLY SIMPLE. FOR EVERYONE.

Setting up your apartment is easy and quick to do



To make sure your system is **simple and straightforward** to use, we have created a dedicated app, which is not only easy and quick to set up, but also very handy and intuitive to use. To set it up, simply scan a **QR code**. Via your smartphone you can receive audio and video calls remotely and open the building's front door.



A smart opportunity for building managers

With Comelit, building managers will be able to offer tenants living in the block of apartment they manage an opportunity which, until recently, was truly unthinkable: to be connected at all times with their video door entry system via smartphone. Unrivalled convenience at a low cost, not least because thanks to Comelit, the first year of connection is free.













1406 **SB2 MULTI-USER CALL** FORWARDING MODULE



Multi-user call forwarding module for Simplebus 2 system for forwarding video door entry calls to smartphones/tablets on which the SimpleApp is installed. In addition, the external unit can switch on automatically and lock-release can be activated. In order for it to work properly, the module requires an Internet connection with adequate bandwidth. The module supports up to a maximum of 50 apartments and 15 users can be enabled for each apartment. For systems with more than 50 apartments, several modules can be installed. Incoming calls will only be received via SimpleApp if a Comelit internal unit is installed inside the apartment. The module has 1 Ethernet port for Internet connection, 12-56 VDC power supply and L-L terminals to interface with the Simplebus 2 system. Dimensions: 7x9x6,2 cm (4 DIN modules).







